

Výpočet kubatur a ploch

Stoka	Stanič. [km]	Šachta	DN [mm]	Mater.	Uložení	Sklon	Hloubka rýhy [m]	Šířka rýhy [m]	Třída těžit.	Výkop <2,5 m [m3]	Výkop 2,5-4 m [m3]	Výkop >4 m [m3]	Pažení <2 m [m2]	Pažení 2-4 m [m2]	Pažení >4 m [m2]
S1	0.00000	S1	250	Kamenina	1-4-2		4.54	0.80	3			9.20			
S1	0.01000		250	Kamenina	1-4-2		3.37	0.80	3		31.64			79.10	
S1	0.01659	S2	250	Kamenina	1-4-2		2.60	0.80	3		21.23			39.37	
S1	0.02000		250	Kamenina	1-4-2		2.63	0.80	3		7.13			17.81	
S1	0.03000		250	Kamenina	1-4-2		2.68	0.80	3		21.24			53.10	
S1	0.03146		250	Kamenina	1-4-2		2.86	0.80	3		3.24			8.11	
S1	0.03477		250	Kamenina	1-4-2		2.68	0.80	3		7.33			18.32	
S1	0.03845	S3	250	Kamenina	1-4-2		2.64	0.80	3		13.41			19.61	
S1	0.03989		250	Kamenina	1-4-2		2.71	0.80	3		3.07			7.68	
S1	0.04000		250	Kamenina	1-4-2		2.72	0.80	3		0.23			0.58	
S1	0.04585		250	Kamenina	1-4-2		3.02	0.80	3		13.45			33.63	
S1	0.05000		250	Kamenina	1-4-2		3.23	0.80	3		10.35			25.88	
S1	0.05494		250	Kamenina	1-4-2		3.48	0.80	3		13.26			33.15	
S1	0.06000		250	Kamenina	1-4-2		3.75	0.80	3		14.63			36.58	
S1	0.07000		250	Kamenina	1-4-2		4.29	0.80	3			32.16			80.40
S1	0.07469		250	Kamenina	1-4-2		4.54	0.80	3			16.60			41.49
S1	0.08000		250	Kamenina	1-4-2		4.62	0.80	3			19.42			48.56
S1	0.08345	S4	250	Kamenina	1-4-2		4.67	0.80	3			22.29			32.12
S1	0.09000		250	Kamenina	1-4-2		4.65	0.80	3			24.39			60.97
S1	0.09485		250	Kamenina	1-4-2		4.63	0.80	3			18.03			45.08
S1	0.10000		250	Kamenina	1-4-2		4.51	0.80	3			18.80			47.00
S1	0.11000		250	Kamenina	1-4-2		4.28	0.80	3			35.16			87.90
S1	0.11495		250	Kamenina	1-4-2		4.16	0.80	3			16.74			41.85
S1	0.12000		250	Kamenina	1-4-2		4.02	0.80	3			16.49			41.24
S1	0.12845	S5	250	Kamenina	1-4-2		3.78	0.80	3		34.13			65.96	
S1	0.13000		250	Kamenina	1-4-2		3.79	0.80	3		4.67			11.68	
S1	0.13480		250	Kamenina	1-4-2		3.81	0.80	3		14.60			36.50	
S1	0.14000		250	Kamenina	1-4-2		3.84	0.80	3		15.91			39.76	
S1	0.14457		250	Kamenina	1-4-2		3.87	0.80	3		14.09			35.23	
S1	0.14803	S6	250	Kamenina	1-4-2		3.89	0.80	3		10.74	7.95		26.85	
S1	0.15000		250	Kamenina	1-4-2		3.91	0.80	3		6.15			15.37	
S1	0.15547	S7	250	Kamenina	1-4-2		3.97	0.80	3		17.24	8.10		43.11	
S1	0.16000		250	Kamenina	1-4-2		3.99	0.80	3		14.42			36.05	
S1	0.16308		250	Kamenina	1-4-2		4.01	0.80	3		9.88			24.70	
S1	0.16623		250	Kamenina	1-4-2		3.99	0.80	3		10.08			25.20	
S1	0.17000		250	Kamenina	1-4-2		3.96	0.80	3		11.96			29.91	
S1	0.17161		250	Kamenina	1-4-2		3.95	0.80	3		5.09			12.74	
S1	0.18000		250	Kamenina	1-4-2		3.90	0.80	3		26.34			65.86	
S1	0.18304		250	Kamenina	1-4-2		3.88	0.80	3		9.49			23.72	
S1	0.18731		250	Kamenina	1-4-2		3.81	0.80	3		13.11			32.77	
S1	0.19000		250	Kamenina	1-4-2		3.77	0.80	3		8.15			20.38	
S1	0.19204		250	Kamenina	1-4-2		3.74	0.80	3		6.14			15.34	
S1	0.20000		250	Kamenina	1-4-2		3.61	0.80	3		23.39			58.48	
S1	0.20047	S8	250	Kamenina	1-4-2		3.61	0.80	3		8.78			3.40	

Stoka	Stanič. [km]	Šachta	DN [mm]	Mater.	Uložení	Sklon	Hloubka rýhy [m]	Šířka rýhy [m]	Třída těžit.	Výkop <2,5 m [m3]	Výkop 2,5-4 m [m3]	Výkop >4 m [m3]	Pažení <2 m [m2]	Pažení 2-4 m [m2]	Pažení >4 m [m2]
S1	0.20336		250	Kamenina	1-4-2		3.56	0.80	3		8.31			20.76	
S1	0.21000		250	Kamenina	1-4-2		3.40	0.80	3		18.47			46.17	
S1	0.21994		250	Kamenina	1-4-2		3.15	0.80	3		26.06			65.15	
S1	0.22000		250	Kamenina	1-4-2		3.15	0.80	3		0.13			0.33	
S1	0.22303		250	Kamenina	1-4-2		3.08	0.80	3		7.56			18.91	
S1	0.22766		250	Kamenina	1-4-2		2.96	0.80	3		11.19			27.98	
S1	0.23000		250	Kamenina	1-4-2		2.90	0.80	3		5.47			13.67	
S1	0.24000		250	Kamenina	1-4-2		2.64	0.80	3		22.16			55.40	
S1	0.24103		250	Kamenina	1-4-2		2.61	0.80	3		2.18			5.45	
S1	0.24217		250	Kamenina	1-4-2		2.58	0.80	3		2.35			5.88	
S1	0.24250	S9	250	Kamenina	1-4-2		2.57	0.80	3		6.10			1.69	
S2	0.00000	S7	250	Kamenina	1-4-2		3.97	0.80	3						
S2	0.00707	S6-1	250	Kamenina	1-4-2		3.82	0.80	3		29.87			55.14	
S2	0.01000		250	Kamenina	1-4-2		3.75	0.80	3		8.85			22.12	
S2	0.02000		250	Kamenina	1-4-2		3.54	0.80	3		29.16			72.90	
S2	0.02214		250	Kamenina	1-4-2		3.50	0.80	3		6.03			15.07	
S2	0.02625		250	Kamenina	1-4-2		3.41	0.80	3		11.38			28.44	
S2	0.03000		250	Kamenina	1-4-2		3.33	0.80	3		10.09			25.23	
S2	0.03194		250	Kamenina	1-4-2		3.29	0.80	3		5.15			12.86	
S2	0.03934	S6-2	250	Kamenina	1-4-2		3.03	0.80	3		25.01			46.76	
S2	0.04000		250	Kamenina	1-4-2		3.00	0.80	3		1.59			3.97	
S2	0.04480		250	Kamenina	1-4-2		2.84	0.80	3		11.22			28.06	
S2	0.04760		250	Kamenina	1-4-2		2.74	0.80	3		6.24			15.60	
S2	0.05000		250	Kamenina	1-4-2		2.65	0.80	3		5.17			12.94	
S2	0.05197		250	Kamenina	1-4-2		2.59	0.80	3		4.14			10.34	
S2	0.06000		250	Kamenina	1-4-2		2.23	0.80	3	15.48				38.69	
S2	0.06584		250	Kamenina	1-4-2		1.98	0.80	3	9.84				24.61	
S2	0.07000		250	Kamenina	1-4-2		1.80	0.80	3	6.28			15.71		
S2	0.07184		250	Kamenina	1-4-2		1.71	0.80	3	2.60			6.49		
S2	0.07250		250	Kamenina	1-4-2		1.66	0.80	3	0.88			2.19		
S2	0.07350	S6-3	250	Kamenina	1-4-2		1.56	0.80	3	3.84			3.22		
S3	0.00000	S4	250	Kamenina	1-4-2		4.50	0.80	3						
S3	0.00934	S4-1	250	Kamenina	1-4-2		4.58	0.80	3			43.23			84.89
S3	0.01000		250	Kamenina	1-4-2		4.58	0.80	3			2.39			5.96
S3	0.01429		250	Kamenina	1-4-2		4.62	0.80	3			15.81			39.53
S3	0.02000		250	Kamenina	1-4-2		4.58	0.80	3			20.99			52.47
S3	0.02077		250	Kamenina	1-4-2		4.58	0.80	3			2.85			7.12
S3	0.02170		250	Kamenina	1-4-2		4.57	0.80	3			3.40			8.50
S3	0.03000		250	Kamenina	1-4-2		4.50	0.80	3			30.09			75.23
S3	0.03416		250	Kamenina	1-4-2		4.46	0.80	3			14.93			37.33
S3	0.04000		250	Kamenina	1-4-2		4.39	0.80	3			20.65			51.63
S3	0.04218		250	Kamenina	1-4-2		4.36	0.80	3			7.63			19.08
S3	0.04752		250	Kamenina	1-4-2		4.29	0.80	3			18.49			46.23
S3	0.04926		250	Kamenina	1-4-2		4.26	0.80	3			5.94			14.84
S3	0.05000		250	Kamenina	1-4-2		4.25	0.80	3			2.51			6.28

Stoka	Stanič. [km]	Šachta	DN [mm]	Mater.	Uložení	Sklon	Hloubka rýhy [m]	Šířka rýhy [m]	Třída těžit.	Výkop <2,5 m [m3]	Výkop 2,5-4 m [m3]	Výkop >4 m [m3]	Pažení <2 m [m2]	Pažení 2-4 m [m2]	Pažení >4 m [m2]
S3	0.05494	S4-2	250	Kamenina	1-4-2		4.19	0.80	3			25.23			41.75
S3	0.06000		250	Kamenina	1-4-2		4.12	0.80	3			16.80			41.99
S3	0.07000		250	Kamenina	1-4-2		3.99	0.80	3			32.44			81.10
S3	0.07506		250	Kamenina	1-4-2		3.93	0.80	3		16.04			40.10	
S3	0.07759		250	Kamenina	1-4-2		3.88	0.80	3		7.90			19.76	
S3	0.08000		250	Kamenina	1-4-2		3.84	0.80	3		7.43			18.58	
S3	0.09000		250	Kamenina	1-4-2		3.67	0.80	3		30.04			75.10	
S3	0.09505		250	Kamenina	1-4-2		3.59	0.80	3		14.69			36.71	
S3	0.09994	S4-3	250	Kamenina	1-4-2		3.50	0.80	3		21.08			34.68	
S3	0.10000		250	Kamenina	1-4-2		3.50	0.80	3		0.15			0.36	
S3	0.10542		250	Kamenina	1-4-2		3.41	0.80	3		15.00			37.51	
S3	0.11000		250	Kamenina	1-4-2		3.33	0.80	3		12.33			30.82	
S3	0.11474		250	Kamenina	1-4-2		3.25	0.80	3		12.50			31.25	
S3	0.12000		250	Kamenina	1-4-2		3.16	0.80	3		13.46			33.66	
S3	0.13000		250	Kamenina	1-4-2		2.99	0.80	3		24.60			61.50	
S3	0.13056		250	Kamenina	1-4-2		2.98	0.80	3		1.36			3.40	
S3	0.13488		250	Kamenina	1-4-2		2.91	0.80	3		10.17			25.43	
S3	0.14000		250	Kamenina	1-4-2		2.82	0.80	3		11.72			29.30	
S3	0.14494	S4-4	250	Kamenina	1-4-2		2.74	0.80	3		16.76			27.52	
S3	0.15000		250	Kamenina	1-4-2		2.65	0.80	3		10.89			27.22	
S3	0.15469		250	Kamenina	1-4-2		2.57	0.80	3		9.79			24.48	
S3	0.15842		250	Kamenina	1-4-2		2.52	0.80	3		7.60			19.00	
S3	0.16000		250	Kamenina	1-4-2		2.52	0.80	3		3.18			7.95	
S3	0.17000		250	Kamenina	1-4-2		2.44	0.80	3	19.84				49.60	
S3	0.17007	S4-5	250	Kamenina	1-4-2		2.44	0.80	3	0.14	5.18			0.35	
S3	0.17734	S4-6	250	Kamenina	1-4-2		2.36	0.80	3	13.96	5.02			34.90	
S3	0.17891		250	Kamenina	1-4-2		2.34	0.80	3	2.95				7.37	
S3	0.18000		250	Kamenina	1-4-2		2.35	0.80	3	2.04				5.11	
S3	0.19000		250	Kamenina	1-4-2		2.37	0.80	3	18.88				47.20	
S3	0.19852		250	Kamenina	1-4-2		2.38	0.80	3	16.20				40.50	
S3	0.20000		250	Kamenina	1-4-2		2.39	0.80	3	2.81				7.03	
S3	0.20734	S4-7	250	Kamenina	1-4-2		2.40	0.80	3	14.07	5.10			35.17	
S3	0.21000		250	Kamenina	1-4-2		2.40	0.80	3	5.10				12.76	
S3	0.21883		250	Kamenina	1-4-2		2.42	0.80	3	17.02				42.56	
S3	0.22000		250	Kamenina	1-4-2		2.42	0.80	3	2.27				5.66	
S3	0.23000		250	Kamenina	1-4-2		2.29	0.80	3	18.84				47.10	
S3	0.23283		250	Kamenina	1-4-2		2.21	0.80	3	5.11				12.77	
S3	0.23641	S4-8	250	Kamenina	1-4-2		2.39	0.80	3	6.58	5.08			16.46	
S3	0.24000		250	Kamenina	1-4-2		2.40	0.80	3	6.87				17.17	
S3	0.24412	S4-9	250	Kamenina	1-4-2		2.42	0.80	3	7.95	5.14			19.86	
S3	0.25000		250	Kamenina	1-4-2		2.41	0.80	3	11.36				28.40	
S3	0.25942		250	Kamenina	1-4-2		2.38	0.80	3	18.05				45.13	
S3	0.26000		250	Kamenina	1-4-2		2.38	0.80	3	1.10				2.76	
S3	0.26122		250	Kamenina	1-4-2		2.39	0.80	3	2.33				5.82	
S3	0.26986		250	Kamenina	1-4-2		2.41	0.80	3	16.59				41.48	

Stoka	Stanič. [km]	Šachta	DN [mm]	Mater.	Uložení	Sklon	Hloubka rýhy [m]	Šířka rýhy [m]	Třída těžit.	Výkop <2,5 m [m3]	Výkop 2,5-4 m [m3]	Výkop >4 m [m3]	Pažení <2 m [m2]	Pažení 2-4 m [m2]	Pažení >4 m [m2]
S3	0.27000		250	Kamenina	1-4-2		2.41	0.80	3	0.26				0.66	
S3	0.27972		250	Kamenina	1-4-2		2.43	0.80	3	18.82				47.05	
S3	0.28000		250	Kamenina	1-4-2		2.43	0.80	3	0.54				1.35	
S3	0.28165		250	Kamenina	1-4-2		2.44	0.80	3	3.22				8.05	
S3	0.28410		250	Kamenina	1-4-2		2.45	0.80	3	4.79				11.98	
S3	0.28990		250	Kamenina	1-4-2		2.48	0.80	3	11.43				28.57	
S3	0.29000	S4-10	250	Kamenina	1-4-2		2.49	0.80	3	0.20	5.27			0.50	
S4	0.00000	S4	250	Kamenina	1-4-2		4.50	0.80	3						
S4	0.00715	S4-21	250	Kamenina	1-4-2		3.54	0.80	3		7.28	23.00			57.49
S4	0.00935		250	Kamenina	1-4-2		3.56	0.80	3		6.25			15.61	
S4	0.01000		250	Kamenina	1-4-2		3.55	0.80	3		1.85			4.62	
S4	0.01700		250	Kamenina	1-4-2		3.41	0.80	3		19.49			48.72	
S4	0.02000		250	Kamenina	1-4-2		3.35	0.80	3		8.11			20.28	
S4	0.02199		250	Kamenina	1-4-2		3.31	0.80	3		5.31			13.29	
S4	0.02594		250	Kamenina	1-4-2		3.24	0.80	3		10.35			25.87	
S4	0.02920		250	Kamenina	1-4-2		3.17	0.80	3		8.35			20.88	
S4	0.03000		250	Kamenina	1-4-2		3.16	0.80	3		2.02			5.05	
S4	0.04000		250	Kamenina	1-4-2		2.95	0.80	3		24.44			61.10	
S4	0.04887		250	Kamenina	1-4-2		2.76	0.80	3		20.28			50.69	
S4	0.05000		250	Kamenina	1-4-2		2.74	0.80	3		2.47			6.17	
S4	0.05215	S4-22	250	Kamenina	1-4-2		2.70	0.80	3		10.36			11.71	
S4	0.05834		250	Kamenina	1-4-2		2.57	0.80	3		13.05			32.64	
S4	0.06000		250	Kamenina	1-4-2		2.54	0.80	3		3.38			8.46	
S4	0.06891		250	Kamenina	1-4-2		2.37	0.80	3	17.50				43.75	
S4	0.06900	S4-23	250	Kamenina	1-4-2		2.36	0.80	3	0.17	5.02			0.43	
S5	0.00000	S2	250	Kamenina	1-4-2		2.60	0.80	3						
S5	0.01000		250	Kamenina	1-4-2		2.96	0.80	3		22.24			55.60	
S5	0.02000		250	Kamenina	1-4-2		3.32	0.80	3		25.12			62.80	
S5	0.02330		250	Kamenina	1-4-2		3.38	0.80	3		8.86			22.15	
S5	0.02484		250	Kamenina	1-4-2		3.37	0.80	3		4.15			10.37	
S5	0.02823	S2-1	250	Kamenina	1-4-2		3.35	0.80	3		16.03			22.79	
S5	0.03000		250	Kamenina	1-4-2		3.33	0.80	3		4.72			11.80	
S5	0.04000		250	Kamenina	1-4-2		3.25	0.80	3		26.32			65.80	
S5	0.04173		250	Kamenina	1-4-2		3.24	0.80	3		4.50			11.25	
S5	0.05000		250	Kamenina	1-4-2		3.16	0.80	3		21.16			52.91	
S5	0.05110		250	Kamenina	1-4-2		3.14	0.80	3		2.77			6.94	
S5	0.06000		250	Kamenina	1-4-2		3.05	0.80	3		22.03			55.08	
S5	0.06304	S2-2	250	Kamenina	1-4-2		3.02	0.80	3		13.68			18.48	
S5	0.07000		250	Kamenina	1-4-2		2.89	0.80	3		16.44			41.10	
S5	0.07781		250	Kamenina	1-4-2		2.74	0.80	3		17.60			44.00	
S5	0.08000		250	Kamenina	1-4-2		2.70	0.80	3		4.75			11.88	
S5	0.08049		250	Kamenina	1-4-2		2.69	0.80	3		1.07			2.66	
S5	0.09000		250	Kamenina	1-4-2		2.56	0.80	3		19.96			49.91	
S5	0.10000		250	Kamenina	1-4-2		2.41	0.80	3	19.88				49.70	
S5	0.10036		250	Kamenina	1-4-2		2.41	0.80	3	0.70				1.76	

Stoka	Stanič. [km]	Šachta	DN [mm]	Mater.	Uložení	Sklon	Hloubka rýhy [m]	Šířka rýhy [m]	Třída těžit.	Výkop <2,5 m [m3]	Výkop 2,5-4 m [m3]	Výkop >4 m [m3]	Pažení <2 m [m2]	Pažení 2-4 m [m2]	Pažení >4 m [m2]
S5	0.10220		250	Kamenina	1-4-2		2.39	0.80	3	3.52				8.81	
S5	0.10500	S2-3	250	Kamenina	1-4-2		2.37	0.80	3	5.33	5.04			13.33	

Součty

335.3 1350.4 531.7 27.6 3866.1 1198.0

Objekt :
Vypracoval :
Dne :